

Palazzani NORTH AMERICA XTJ 121+ SPIDER LIFT














STANDARD EQUIP.

- NON-MARKING TRACKS
- ADDITIONAL AIR/WATER PIPES
- TREE CUTTERS COVER KIT
- RADIO CONTROL
- PEDAL ON THE CAGE
- RETURN TO HOME
- PLASTIC PADS FOR OUTRIGGERS WITH STOP
- PALCONTROL







38 ft 9 in	46 ft 3 in	49 ft 3 in	23 ft 11 in	31 ft 2 in	L1	L2	W1	W2	W3
730 lb*	510 lb	264 lb	730 lb*	264/510 lb	18 ft 2 in	23 ft 6 in	17 ft 3 in	12 ft 7 in	8 ft 10 in

XTJ 121+/C		121 ft 5 in	49 ft 3 in	730 lb*	660°	5 ft 11 in x 2 ft 4 in	90°+80°	8 ft 9 in x 17 ft 3 in	23%	36%	1,55 mph	16733 lb	12364 lb	54,42 psf	112,78 psf

BI-ENERGY

Diesel Kubota
18,2 kW

Single-phase electric motor
110 VAC - 1,1 kW
or Three-phase electric motor
230 VAC - 3 kW


The technical data may deviate +/- 3% from the specified values.
Characteristics and technical data are informative only and subjected to change without notice.


Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 877-PALAZZANI
Mail: sales@palazzani-usa.com
www.palazzani-usa.com

NC 984 A 24

Palazzani NORTH AMERICA XTJ 121+ SPIDER LIFT









STANDARD EQUIP.


- NON-MARKING TRACKS
- ADDITIONAL AIR/WATER PIPES
- TREE CUTTERS COVER KIT
- RADIO CONTROL
- PEDAL ON THE CAGE
- RETURN TO HOME
- PLASTIC PADS FOR OUTRIGGERS WITH STOP
- PALCONTROL











38 ft 9 in	46 ft 3 in	49 ft 3 in	23 ft 11 in	31 ft 2 in	L1	L2	W1	W2	W3
730 lb*	510 lb	264 lb	730 lb*	264/510 lb	18 ft 2 in	23 ft 6 in	17 ft 3 in	12 ft 7 in	8 ft 10 in

XTJ 121+/C		121 ft 5 in	49 ft 3 in	730 lb*	660°	5 ft 11 in x 2 ft 4 in	90°+80°	8 ft 9 in x 17 ft 3 in	23%	36%	1,55 mph	16733 lb	12364 lb	54,42 psf	112,78 psf

ECO

Inverter actuated electric motor
16 kW

Lithium iron phoshate battery LiFePO4
48 V - 420 Ah


The technical data may deviate +/- 3% from the specified values.
Characteristics and technical data are informative only and subjected to change without notice.


Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 877-PALAZZANI
Mail: sales@palazzani-usa.com
www.palazzani-usa.com

Palazzani INDUSTRIE

Palazzani NORTH AMERICA XTJ 121+ SPIDER LIFT









STANDARD EQUIP.


- NON-MARKING TRACKS
- ADDITIONAL AIR/WATER PIPES
- TREE CUTTERS COVER KIT
- RADIO CONTROL
- PEDAL ON THE CAGE
- RETURN TO HOME
- PLASTIC PADS FOR OUTRIGGERS WITH STOP
- PALCONTROL











38 ft 9 in	46 ft 3 in	49 ft 3 in	23 ft 11 in	31 ft 2 in	L1	L2	W1	W2	W3
730 lb*	510 lb	264 lb	730 lb*	264/510 lb	18 ft 2 in	23 ft 6 in	17 ft 3 in	12 ft 7 in	8 ft 10 in

XTJ 121+/C		121 ft 5 in	49 ft 3 in	510 lb	660°	5 ft 11 in x 2 ft 4 in	90°+80°	8 ft 9 in x 17 ft 3 in	23%	36%	1,55 mph	16733 lb	12364 lb	54,42 psf	112,78 psf

HYBRID²

- Diesel Kubota 14,7 kW
- Inverter actuated electric motor 16 kW
- Lithium iron phoshate battery LiFePO4 48 V - 315 Ah

The technical data may deviate +/- 3% from the specified values.
Characteristics and technical data are informative only and subjected to change without notice.

Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 877-PALAZZANI
Mail: sales@palazzani-usa.com
www.palazzani-usa.com

NC 986 A 24