








-  **NON-MARKING TRACKS**
-  **ADDITIONAL AIR/WATER PIPES**
-  **TREE CUTTERS COVER KIT**
-  **RADIO CONTROL**
-  **PEDAL ON THE CAGE**
-  **RETURN TO HOME**
-  **PLASTIC PADS FOR OUTRIGGERS WITH STOP**
-  **PALCONTROL**



29 ft 6 in	L1	L2	W1	W2	W3
1100 lb	16 ft 2 in	21 ft 1 in	15 ft 9 in	12 ft 7 in	9 ft 5 in

		
TSJ 98/C		
93 ft 6 in	29 ft 6 in	1100 lb



													
TSJ 98/C													
98 ft 5 in	42 ft 8 in	510 lb	660°	5 ft 11 in x 2 ft 4 in	90°+80°	9 ft 5 in x 15 ft 9 in	44%	42%	0,75 mph	10097 lb	6519 lb	40,52 psf	79,81 psf

BI-ENERGY




-  Diesel Kubota
14,7 kW
-  Single-phase electric motor
110 VAC - 1,1 kW

Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 (786) 633 1830
Mail: sales@palazzani-usa.com
www.palazzani-usa.com





-  **NON-MARKING TRACKS**
-  **ADDITIONAL AIR/WATER PIPES**
-  **TREE CUTTERS COVER KIT**
-  **RADIO CONTROL**
-  **PEDAL ON THE CAGE**
-  **RETURN TO HOME**
-  **PLASTIC PADS FOR OUTRIGGERS WITH STOP**
-  **PALCONTROL**



29 ft 6 in	L1	L2	W1	W2	W3
1100 lb	16 ft 2 in	21 ft 1 in	15 ft 9 in	12 ft 7 in	9 ft 5 in

		
TSJ 98/C		
93 ft 6 in	29 ft 6 in	1100 lb



             														
TSJ 98/C		98 ft 5 in	42 ft 8 in	510 lb	660°	5 ft 11 in x 2 ft 4 in	90°+80°	9 ft 5 in x 15 ft 9 in	44%	42%	0,75 mph	10097 lb	6519 lb	40,52 psf 79,81 psf

ECO




-  Inverter actuated electric motor
5,5 kW
-  Lithium iron phoshate battery LiFePO4
48 V - 315 Ah

Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 (786) 633 1830
Mail: sales@palazzani-usa.com
www.palazzani-usa.com





-  **NON-MARKING TRACKS**
-  **ADDITIONAL AIR/WATER PIPES**
-  **TREE CUTTERS COVER KIT**
-  **RADIO CONTROL**
-  **PEDAL ON THE CAGE**
-  **RETURN TO HOME**
-  **PLASTIC PADS FOR OUTRIGGERS WITH STOP**
-  **PALCONTROL**



29 ft 6 in	L1	L2	W1	W2	W3
1100 lb	16 ft 2 in	21 ft 1 in	15 ft 9 in	12 ft 7 in	9 ft 5 in

		
TSJ 98/C		
	93 ft 6 in	29 ft 6 in
		1100 lb

														
TSJ 98/C														
	98 ft 5 in	42 ft 8 in	510 lb	660°	5 ft 11 in x 2 ft 4 in	90°+80°	9 ft 5 in x 15 ft 9 in	44%	42%	0,75 mph	10891 lb	6519 lb	43,7 psf	86,09 psf

HYBRID²

-  Diesel Kubota
10,6 kW
-  Inverter actuated electric motor
5,5 kW
-  Lithium iron phoshate battery LiFePO4
48 V - 210 Ah

The technical data may deviate +/- 3% from the specified values.
Characteristics and technical data are informative only and subjected to change without notice.

Palazzani North America Corp.
175 SW 7th St., Suite #1705, Miami, FL33130 US
Tel: +1 (786) 633 1830
Mail: sales@palazzani-usa.com
www.palazzani-usa.com

